



# Serial ATA (SATA) Right-Angle Signal Cable (7Pin/7Pin-Down), 19-in. (48.26 cm)

MODEL NUMBER: P942-191





#### **Features**

- Connect your high-speed Serial ATA device to a Serial ATA controller
- Support data transfer rates of up to 6.0 Gbps
- Narrow cables design: 1) simplifies cable routing and installation 2) improves air flow within CPU (no more big ribbons blocking air movement)
- Meets Serial ATA 1.0 standards, including Errata 029
- Cable is shielded to protect against EMI/RFI

#### **Highlights**

- Connect your high-speed Serial ATA device to a Serial ATA controller
- Features 7Pin Straight and 7Pin Right-Angle Down connectors
- Angled connector ideal for situations in which space is at a premium, and reduces stress / excessive bending on the cable
- SATA III (6Gbps) / SATA II (3Gbps) / SATA I (1.5Gbps) Compliant
- Cable is shielded to protect against EMI/RFI

## **Applications**

- Connect your high-speed Serial ATA device to a Serial ATA controller
- Compatible with Serial ATA Hard Drives, Blu-ray/DVD/CD Drives and other Serial ATA devices

### **System Requirements**

- Serial ATA device
- Serial ATA controller

### **Package Includes**

 19-in. Serial ATA Right Angle (SATA) Signal Cable 7Pin/7Pin, Straight/Down

# **Specifications**

OVERVIEW		
UPC Code	037332120076	
Technology	SATA/eSATA	
CONNECTIONS		
Side A - Connector 1	7 PIN SATA (MALE)	
Side B - Connector 1	7 PIN SATA (MALE) - RIGHT ANGLE DOWN	
PHYSICAL		
Color	Red	
Cable Jacket Color	Red	
Wire Gauge (AWG)	26	





Cable Length (ft.)	1.6	
Cable Length (m)	0.49	
Cable Length (in.)	19	
Cable Length (cm)	48.26	
Shipping Dimensions (hwd / in.)	5.30 x 3.90 x 0.50	
Shipping Dimensions (hwd / cm)	13.46 x 9.91 x 1.27	
Shipping Weight (lbs.)	0.14	
Shipping Weight (kg)	0.06	
FEATURES & SPECIFICATIONS		
IP68 Rated	No	
IP20 Rated	No	
STANDARDS & COMPLIANCE		
Product Compliance	RoHS	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

1000 Eaton Boulevard Cleveland, OH 44122 United States https://tripplite.eaton.com © 2024 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.